Receiving Report

	yes No Cash Cr Yes No No		Release N Waybill Att Shipment	tached: Complete:	Yes	3) S 3 + 3 No No	N/A
Discrepancies		Quantity	QC18 Insp Work Orde		Quantity	Quantity	N/A // N/
Part Number	Description	Ordered	Rec'd	Short	Inspected	Rejected	Number
}	<u> </u>						
<u></u>							
				Initials of	Receiver	QC12	80



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PO REPRINT

Purchase Order ID PO28372

Purchase Order Date 5/5/2015
PO Print Date 5/20/2015

Page Number 1 of 2

Line Total:

\$895.92

Order From:

AVIALL

PO BOX 842275

DALLAS, TX 75284-2275 USA VU-AVI003

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

905-676-1695

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

EXW – (Ex Works)

Ship Via

FedEx Overnight collect

Ship Acet

Line Nbr	Reference Vendor Part Number Line Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	·CD	Req. Qty/ Unit of Measure	PO Unit Pri	ce Extended Price
1	MS21062-3K	Nut Plate	5/21/2015 Yes 5/21/2015		200.00 Each	52	\$430.00
						Line Total:	\$430.00
2	MS21209-F415	Heli-Coil	5/8/2015 Yes 5/8/2015	ı	100.00 Each	\$0	\$14.00
						Line Total:	\$14.00
3	71400-11	PS890-B2 PRO-SEAL PINT SIZE	5/8/2015		12.00	\$74	\$.66 \$895.92
			Yes 5/8/2015	1	Each		

Deliver To: ANDY

PO Instructions: Fedex Acc#151793240

Note:

O

DELIVERY NUMBER: 8001793666

ROUTE: US FedEx International Priority

TIME:18:05:47 EMP:00000000 ORD TYP: ZOR 169 CURRENCY:USD

TERMS:Net 30

CUSTOMER PO:28372 ORDER NUMBER:1001189266 ORDER DATE:05MAY15

10003952 DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA S 10003952 H DART AEROSPACE LTD I 1270 ABERDEEN STREET P HAWKESBURY ON K6A 1K7 CANADA T S 1000 H AVIALL CENTRAL WAREHOUSE I DALLAS CDC P 2750 REGENT BLVD DFW AIRPORT TX 75261-9048 USA R

LINE	PO LINE	MFG	ITEM DESCRIPTION	ORDER_ QUANTITY	SHIP QUANTITY	QUANTITY BACK ORDER	UOM	LIST PRICE	CUSTOMER PRICE	EXTENDED CUSTOMER PRICE
00010	0	74	MS21062-3K NUTPLATE: SELF-LKG,CRES	200	200	0	EA		2.15	430.00
	BATCH	7363977			200					
										15-05

This is not an Invoice. For payment processing, please refer to Invoice.

The recipient of these goods agrees to comply with all export regulations governing the transfer, sale, lease, or use of these goods. Diversion contrary to U.S. Law is prohibited.

CERTIFICATE OF CONFORMANCE

It is hereby certified that Aviall Services, Inc., is an approved distributor and meets all requirements of ISO9001, AS9100, AS9100 and AC 00-56 at 2750 Regent Blvd. DFW Airport, Texas. The products, articles or parts referenced on this document are in new or overhauled condition and were purchased from an approved source (FAA, EASA, TCCA, Mil Spec or Commercial). The Original Manufacturers' Certifications are maintained on file at our central office location, and copies are available upon request or at Aviall.com. For overhauled or repaired products, articles or parts, the original FAA 8130-3 / EASA Form 1 (Return to Service) or Yellow Tag, from the FAA/JAA/EASA approved Air Agency are attached to the component.

OR HE

JR Hofmann, Director, Global Quality

19MAY15

DISCOUNT TERMS APPLY ONLY TO SUB TOTAL ALL RETURNED MERCHANDISE SUBJECT TO HANDLING

THIS IS TO CERTIFY THAT AVIALL HAS COMPLIED WITH THE PROVISIONS OF THE FAIR LABOR ACT OF 1938 AMENDED.

CUSTOMER COPY

AV20 HS-00



Commercial Invoice

Government Transaction Number **NOEEI FTR 30.36** Delivery Number 8001793666 Tracking Number Commercial Invoice Number 9302169522 Ship Date **EXW Shipping Point** 19 May, 2015

AVIALL SERVICES INC 2750 REGENT BLVD **DFW AIRPORT TX 75261** USA.

Sold To	10003952	Ultimate Consignee	10003952	Ship To	10003952	Freight Forwarder	400010
DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA		DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA		DART AEROSPACE LTD 1270 ABERDEEN STREET HAWKESBURY ON K6A 1K7 CANADA		FEDEX FEDEX NATIONAL LTL INC PO BOX 94515 PALATINE IL 60094-4515 USA	

Incoterms

Comments:

Item	Part Number & Description	Country of Origin	Quantity	иом	Unit Value USD	Extended Value USD
	MS21062-3K - NUTPLATE: SELF-LKG,CRES Harmonized Tariff: 7318160000 Export Classification: 9A991.d Authorization: NLRAT_MAY_2015 Sales Order: 1001189266 PO: 28372 Batch Number: 7363977929	US	200	EA	2.15	430.00

Gross Value	430.00
Add on Charges	, , , , , , , , , , , , , , , , , , , ,
Tax Value	· · · · · · · · · · · · · · · · · · ·
Freight Charges	
Total Net Value	430.00

FOR CUSTOMS PURPOSES ONLY **NOT A BILLING INVOICE**

These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to US laws is prohibited.

HERNDON PRODUCTS

3801 Lloyd King Dr. O'Fallon, MO 63368 Phone : (314) 739-7400 Fax : (314) 739-5344

CUSTOMER	000284
ORDER NO	1272248
CAGECODE	μω μ

BHLL TO

AVIALL CENTRAL WAREHOUSE PO BOX 619048

DALLAS, TX 75261-9048 ACCOUNTS PAYABLE SHIP TO

AVIALL CENTRAL WAREHOUSE AVIALL DALLAS BRAKE 2750 REGENT BOULEVARD DFW AIRPORT, TX 75262

SALE 1272	S ORDER	CUSTOMER F	PO	#PJ_RO		PACKER	QI M	RDER CONTACT ARY BECHTEL		
SHIP 0578	DATE 6/15	EIGHT	CARTONS	SHIP VIA FEDEX STANDA	FOB RDOrigin		WAY 592	BILL NUMBER 455036323	BIL 123	LING ACCT 985630
		Quantiti	ies							
MTI	BALDUE	BCKORD	SHIP	PART NUMBER	/ DESC			- MFG LOT		HPI LOT NO
010	200 E	O EA	200 EA	MS21062-3K A3856 PAOLO AS ORIGIN ILTALY NUT PLATE CERT CODE: AE TERMS: Net 30 DFAR Compliant NOTES: export control	and the second s	MS21062 - 73639773	-3K=	82161-01-005	CAN 05/0	07201300241902 DERSON 7/15

The above commodities are subject to the Export Administrations Regulations (EAR) and/or International Traffic in Arms Regulations (ITAR). It is your responsibility to obtain a validated export license for this material from the Department of Commerce or the Department of State if so required under the applicable U.S. Government Export Control Regulations. The above material shall not be shipped to any country that has an embargo placed on it by the U.S. Government or any entity on the US Debarred list. By accepting the items on this invoice you agree to our Terms and Conditions of Sales. These commodities, technology or software were exported from the United States in accordance with the Export Administration Regulations. Diversion contrary to U.S. Law is prohibited.

CERTIFICATION: We hereby certify that the material contained in this shipment is new and the supplier has represented that the material was manufactured and inspected in accordance with all blueprint and procurement specification requirements and that the attached documents are certified as true copies of original documents and are on file for review. Evidence of compliance is on file with us and our supplier subject to examination.

NOTWITHSTANDING THE FOREGOING, SELLER DISCLAIMS ANY WARRANTY OR RESPONSIBILTY FOR MANUFACTURING OR FUNCTIONAL DEFECT *Aerospace Fasteners Manufactured in the USA unless otherwise stated.*

By July Jank Quality Manager

Herndon Products, Inc. Authorized Quality Assurance Agent

REMIT TO: P.O. BOX 66249, LOS ANGELES, CA 90066-0249 13402 BEACH AVE., MARINA DEL REY, CA. 90292 TEL (210) 821-5582 * FAX (310) 821-0378 * (310) 821-5616 D.U.N.S. 05-148-3659 FEDERAL I.D. 95-2312505

ACCOUNT NO. A4074A SOLD TO: HEDNING

HERNDON PRODUCTS INC

3801 LLOYD KING DR. OFALLON, MO 63368 SHIP TO: HERNDON PRODUCTS INC 3801 LLOYD KING DR. OFALLON, MO 63368



SALES ORDER N).;-/.;			CUSTOMER P.O. NO.	BUYER		re Carlo	SALESPERSON	TERMS		
778096				H00162340 CINDY HEDE			<u> </u>	FRED	1%10 NET30		
DATE ORDERED	DATE	SHIPPED	SHIP VIA	FOB/SPECIAL INSTRUCTIONS	OB/SPECIAL INSTRUCTIONS						
07-24-13			FedEx	Ground - Collect, ACCT# 2788	76500 Acc	t #: 27887(5500				
LINE OPD	ERED	PARTNU	MBER/C	ESCRIPTION/LOT NO		HIPPED.	NOTES				
	10,000	5,000 PC	STORIN#: MS21	AADE IN ITALY 062-3K CTL# 81510-05-003 MFG LOT # 42150/ITALY Country of Origin: ITALY MFG: PAOLO ASTORI SPA CTL# 82161-01-005 MFG LOT # 44811/ITALY Country of Origin: ITALY MFG: PAOLO ASTORI SPA CTL# 82161-02-002 MFG LOT # 45920/ITALY Country of Origin: ITALY MFG: PAOLO ASTORI SPA CHEMICAL CERTIFICATION		10,000	C	RS 252.225-7014 ALT 1	241905		

SHORTAGES MUST BE REPORTED WITHIN 10 DAYS.
NO RETURNS ACCEPTED WITHOUT AUTHORIZATION.
NO RETURNS ACCEPTED WITHOUT LOT TRACEABILITY.

MAINTAIN TRACEABILITY - DO NOT MIX LOTS

PAGE: 1 of 2

Continued...

REMIT TO: P.O. BOX 66249, LOS ANGELES, CA 90066-0249 13402 BEACH AVE., MARINA DEL REY, CA. 90292 TEL (310) 821-5582 * FAX (310) 821-0378 * (310) 821-5616 D.U.N.S. 05-148-3659 FEDERAL I.D. 95-2312505

ACCOUNT NO. A4074A SOLD TO:

HERNDON PRODUCTS INC 3801 LLOYD KING DR. OFALLON, MO 63368

SHIP TO: HERNDON PRODUCTS INC 3801 LLOYD KING DR. OFALLON, MO 63368



- Service - Control of the Control o	CUSTOMER P.O. NO.	BUYER		SALESPERSON	TERMS:
778096	H00162340	CINDY HEDBEI	RG	FRED	1%10 NET30
DATE ORDERED DATE SHI					
07-24-13	FedEx Ground - Collect, ACCT	# 278876500 Acct #: 27	8876500		
THE DIPETED S	GIPNUMBER/DESCRIPTION/KOT NO.	SHIPP	ED: NOTES		A CALL TO THE REAL PROPERTY OF THE PARTY OF
	0720130024190 ms21062-3K) 2	fraceabil form of c ports on factured AIRCRAI ibility for implied w ibility not must con	tory is purchased and ity, unless otherwise sertification of conform file, available for insperin accordance with all FT FASTENERS INTER manufacturing or fund varranties to liability for to exceed the invoice apply with US Export Appulations contrary to U	maintained with manufacturer's lot number specified, with documentary evidence in the ance and/or physical and chemical test resection, attesting that items have been manuapplicable standards and specifications. ERNATIONAL, LLC. disclaims any responsitional defects and hereby limits express or replacement of this material, with responsitional manual. When exporting this product you diministration regulations. Any diversion to the standards are prohibited.

SHORTAGES MUST BE REPORTED WITHIN 10 DAYS. NO RETURNS ACCEPTED WITHOUT AUTHORIZATION. NO RETURNS ACCEPTED WITHOUT LOT TRACEABILITY.

MAINTAIN TRACEABILITY -DO NOT MIX LOTS

PAGE: 2 of 2



PAOLO ASTORI SPA

Via Mirabella, 9 - Maggiate Superiore 28013 Gattico (NO) - ITALY TeL (+39) 0322 838847

Fax (+39) 0322 680198 Web: www.paoloastorl.com



CERTIFICATE OF CONFORMANCE

Nº 10558

Date 07/12/2012

To:

This is to certify that goods listed below have been inspected in our plant and are up to your orders and to the specifications of the drawings manifored therein.

Country of origin is ITALY.

AIRCRAFT FASTENERS INTERNATIONAL 13402 BEACH AVENUE MARINA DEL REY USA

D	1		,				
Pos	Part Humber	Purchase Order	Order Cate	Quantity ;	U.M.	Batch	Core Date
1	M691054L9K/NAS689COMK	82161	02/06/2012	4500	N'	45228	TA.I.DATACL
2	MSR1USALSICHAS689C3MK	82161	02/05/2012	4500	N	45228	ITA 2 DATACU
3	MB21062-3KANAS1832C3K(PMV, REVINEW)	82161	02/05/2012	667	N I	42855	TA.S.DATACI
4	MS21067-3KNAS1032C3K(Rev. REVNEW)	82181	02/05/2012	306 9	N i	44811	TA.4.DATACU

07201300241902 MS21062-3K



DIGENTAL SEMPRE LA HOMENCLATURA COM BINATA 73181850 EPECHE CON SEESTE SENSED ENTERDICON COMMON.

Airbus approval # 204788 - BAE Approval # BAE/AG/30631/MAA - Compiles with DFARS 252.226-7014. - Agusta-Westland 0500 approval # A/0047

All claims regarding the parts in subject must be reported to seller promptly. Credit or replacement of parts may be limited to those parts for which traceability has been mainteined by the buyer. The sellers manufacturing lot identification number and return authorization (RIMA) must accompany all returns. Any discrepancy claimed by the Customer must be made in writing to seller not later than ninety (80) days after the shipping date. The flability of seller on parts found to be defective is limited to replacement or reverk of such goods, as seller option, and in no case is to exceed the invoice value of such goods. Under no circumstance will seller be flable for damages or cost incomed by buyer or



CONSIGNY WITH GROWTY POMOCENE STSTEM CHAMPED ST DWG W NW WIGHTY POMOCENE

QUALITY CONFORMANCE INSPECTION REPORT

Sede logale; via Mirabella , 9 - MACGIATE Sup. - 28013 GATTICO (NO) ITALY-TEL: 0322-838847 PAX: 0322-880198 www.pasiloastori.co

STATEMENT OF CONFORMITY

THIS IS TO CERTIFY THAT PARTS HAVE BEEN PRODUCED, CONTROLLED AND ACCEPTED ACCORDING TO THE REQUIREMENTS OF THE APPLICABLE SPECIFICATION CALLED BY THE PURCHASE ORDER AND/OR THE APPLICABLE STANDARD DRAWING.

MATERIAL, BOAT AND SURFACE TREATEMENTS AND MANUFACTURING PROCESSES ARE THE SAME AS THOSE USED FOR THE QUALIFICATION APPROVAL.

SAMPLES SUBJECT OF ALL TESTS WERE BEEN SELECTED AT RANDOM FROM THE PRODUCTION BATCH COYERED BY THIS DOCUMENT, COUNTRY OF ORIGIN ITALY. THIS REPORT SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF

PAOLO ASTORI SPA.

Sheeture Quality Representative

CTISTYOMER

see attached COC

P.O.

see anached COC

PART NO.

MS21062-3K BK NASM21062 REV NEW / NAS687C3K REV11/ NAS1032CJK REV6

ASTORI CODE

LDAXB6A306N34

DESCRIPTION

NUT. STUP-LOCKING, PLATE, ONBILUG, PLOATING

PROCUREMENT SPEC.

NASM75027

BATCH NO.

44811

BATCH QUANTITY

15.043

QUANTITY DELIVERED

acc attached COC

10	ارط	

Description of component NUT CAGE	Raw Material Specification AMSSS25 AMSSS25	Raw material Batch na. -2554 -2828	Heeth N* 517310 518127	Precipitation h.t.	Material Specification after the heat treatment AMSS525 AMSS525
OTHER OTHER					

All claims regarding the parts in subject must be reported to seller promptly. Credit or replacement of parts may be limited to those parts for which traceability has been maintained by the buyer. The subject summaintained lot identification number and return sufficiently must accompany all returns. Any discrepancy claimed by the Customer must be made in writing to seller soi jacer than along 1000 days after the statement of the customer must be made in writing to seller soi jacer. than relief (90) days after the shipping date. The liability of selice on peru found to be defective is limited to reptacement or rework of such goods, as seller option, and in no case is to exceed the invoice value of such goods. Under no circumstance will seller be intoic for damages or cost incurred by buyer or subsequentuser beyond the invoice value of the parts in subject.

Date: 21/08/2012

i; , []

Batch Nº 44811



page 1 of 5

07201300241902 M\$21062-3K

RECEIVED GEC 287017

QUALITY CONFORMANCE INSPECTION REPORT

Sede legale: via Minabella, 9 - MAGGIATE Sup. - 28013 GATTICO (NO) ITALY-TEL: 0322-85847 FAX: 0322-880198 www.paclosmort.com

SUMMARIZED TEST RESULTS

(all tolerances are expressed in metric and imperial units - test results are recorded as read on the MTB)

						,
Characteristic	Inspection or test to be Partermed	Applicable Or not	Sample	Inspection Media	Test	Bote
Examplication of product :				1 11000	N 16 UZ	_
Design	verify the design of the set	+		-		
Self-locking device		<u> </u>	ALL	VISUAL	OK	
(Major A)	Exemination	A	30	VISUAL	ox	see table
Thread fit (Major B)	go-no go gage - test bok application		20	BOLT GO-GAGE	ок	sec table
Searing surface conditions are squareness (Major B)	orthogonality error	A	20	OPTICAL CONTRABATOR		sec table :
Surface (inish, plating or surface treatment (Major B)	verify the compliance of the surface treatment and condition	٨	20	VISUAL	ОК	son table 4
Rivet boke location and allignment (Major B)	measure the position and the distance	A	20	DIGITAL	ОК	see table 5
Histophe of suit (Major B)	Distance the dimension	٨	20	DIGITAL	OK	ace table 6
Loose or banging barrs (Minor)	werlfy the presence of may kind of burns	A	8	VISUAL	OK	soc table 7
All other dimensions: characteristics sex covered above (Misser)	rocesure all disensions with reference on the applicable standard	٨	8	DIGITAL CALIPER	OK	see table \$
Axial Tensilo strength (Table IX)	verify if the note withstand the minimum exist strongth	٨	10	LOAD MACHINE	OK	sec table 9
Looking torque	See below					<u> </u>
· Max looking (orque (Table LX)	microsure and record the torque value for 1st,7th,15th of each not tested	^	10	LOAD	OX	soc table 10
Mile breaksway torque (Table DQ	for 1st,7th,15th of each nut tented	A	10	TORQUE	OK	see cubic 11
Torque out (Tuble DC)	forque out value must be not less (luss the requested value (stribute)	A -	10	TORQUE METER	OK	sos lable 12
Push out (Table IX)	posh out value must be not less than the requested value (stribute)	Α	10	LOAD MACHINE	OK	ace lable 13
Discontinuities (Major B)	no cracks at all - Depths of discontinuities not more than values	٨	20	VISUAL	ок	see table 14
bour stress embrittlement (10 pos)	evidence of complete absence od atress embristiernent (attribute)	NA	•	VISUAL	•	see table 15
Magnetic permeability (Table DQ)	Cres sum must have less a magnetic permeability less than 2.0 in sk for a field strength of H#2000ersteds	٨	10	LOW MU NEXCATOR	ок	see table 16
Inspection of packaging (All boxes)	Verify the correctiveness of puckaging	٨	nu	VISUAL	ОК	see table 17

Date: 21/08/2012

Barch Nº 4 4 8 1 1

page 2 of 5

101.1111 1



Sales Order Number: 778096

Finished Lot Number: 82161-01-005

OK

OK

OX

OX

OX

OK

OK

OX

OK



QUALITY CONFORMANCE INSPECTION REPORT

Scole logale: via Minsbelle, 9 - MAGGIATE Sep. - 28013 GATTICO (NO) TTALY-TEL: 0322-858847 FAX: 0322-880198 www.peoloestori.com

Table 1 - Self locking device - examination (control by attribute 1 old/not ok)

OK	1 00	1	T		·		·	·		Σ					
	OK	OK	OK	OK	OK	OK	OK	OK	OK	бк	OK	OK	OK	OK	OK
OK	OX	OK	OK	OK	OK	OK	OK	OK	OK	ox	OR	OK	OK		
OK	OK	OX	ок	OK	OK	OK	OK	OK	OK	OK	-			OK	OX
OK	OK			†					<u> </u>		OK	OK	ОК	ОК	OX
		***************************************		-											
1		L										h			

Tuble 2 ~ Thread fit (cantrol by attribute : go-nogo gage ok/not ek ~ bolt application)

1		\\\				·		·			- 4		1				
l	OK	· vn	OK	OK	OK	OK	OK	OK	OK	OK	N/Z	OK	OK	1 22	T		ł
ı	OK	OK	OK	OX							VA.		UA	OK	OK	OK	1
ŧ												İ					Ĺ

Table 3— Bearing surface max. squarement deviation admitted 0.13 mm (0.005 in) max. measured 0.06 mm (0.0024 in)

Surface roughness max. value admitted 1.2(125 micro in) max. measured 1.6(63 micro in)

-{	0.04	0.03		224	1 4	Y			,	·····					•	
ı.	***	0.03	0.05	0.04	0.06	0.05	0.05	0.05	0.04	0.04	0,04	0.06	0.05	0.05	004	1 22
1	0.06	0.04	0.04	0.05			 					0,00	0.00	0313	0.04	0.03
ŀ	***************************************						<u> </u>				1		l		1	
L	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	1.6	14	1.6	7,5	-	1.5
ı	1.6	1.6	1.6	1.4							***	1.0	1,0	1.6	1.0	1.0
Ļ,			1.0	1.6												

Table 4 - Surface linish, plating or surface treatment (control by attribute ; ok/set ok)

Actual Embiding PASSIVATED IN ACC WITH ASTM-A-967

SILVER PLATED IN ACC WITH AMS2410




Table 5- Rivet hale locaction and alignments.

Discussion requested 7.924/-0.05 mm (0.312+/-0.002 in) max. range assured 7.92 mm (0.312 fg)

1	·····										•				
7,89	7,90	7.90	7,92	7.91	7.03					,				····	
			1474	7,54	7.92	7.92	7.89	7.92	7.90	7.92	7.92	7.89	7.92	700	701
7.92	7.90	7.89	201											7.50	7.91
	7.50	······						i							1

Table 6-Height of nat Dimension requested 6.35 mm max (0.250 in max) max, runge measured 5.86 mm (0.231 in

	γ	·	· 	-				***************************************	MROT	~	WINCOM CO.	ad 5VI	mm (O.)	arm.	W2/	
5,82	5.81	5.82	5.86	5,82	5.79	5.79	5.89	5.81	5.82	1 200	1	T	r	1		¥
5.80	5.86	5.79	5.83					3.01		5.79	5.86	5.81	5.83	5.82	5.84	ı
	1 200	3,/7	3.83		1					1					***************************************	İ

Date: 21/08/2012 Batch N= 4 4 8 1 1 Page 3 of 5



•	5							-						IO WEST COME RESERVED TO EXI PLOCE	Militaria Militari 12000 w
•	•	QU.	ALIT	Y C	ONF(DRM	ANC	E IN	SPEC	TIOI	N RE	POR	tT.		
nde lag	aic vis)			DOLATE E											
*b6 7	- Loan	e or ban	gine bur	ra (comb	rol by at	(ellusis)		-	- 1 - 1 - 1 - 1		en.	XX	SPE WW.	C4Clóests	ricom
OK	ОК	ОК	Ток	···	7			7		400 63 01		26)			
] ox	ox	OK	ОК	<u></u>		<u> </u>	<u></u>	<u> </u>			
r <i>j</i> yk 1	-All off	mer allerne	meenal :	chernete	ciatics ac	ot covere	words b	() restores	900 PJ, SÀ	4 tolares	and of f	be appli	icable at	instant.	and
ОК	ОК	OK	ОК	OK.	OK	ОК	ОК	T		Ι	T	T	Т	- _T	4
ablo 9	- Axla)	Tensile :	Creseth	· Mining				1004			<u> </u>	1			12
***********************		~~~~~~~~~~	~						N 02460	(D. males.)	DWX, A	MARKET W.	11100	NOO:	X
1100	11100	11100	11100	11100	11100	11100	11100	11100	11100						
لــر	<u> </u>	<u></u>		<u> </u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>						
bio 10 as, in	i-Max i stallatio	locking t in terripa	arque - s admitts	± 2.03	No (17.5	27 in-lb)	ZMX. W	ne sured	TQ M	. (9.20 b	Ha)				
0,87	0.96	0,66	0,79	0,86	1,05	1,00	0,84	0,04	0,85				T		1
0,73	0,80	0,68	0,81	0,77	0,87	0,82	0,86	97,0	0,87				1	1	1
0,65	0,72	0,60	0,53	0,69	0,79	0,74	88,0	0,66	0,59						
													T		
	ł		1					***					1	1	
				-											
čde 11 in. štra	l- MGa I	pardos acerca m	ay torqu	4 0.23	Nim (2.6)	h-D)	wła pe		QA4 No	T S P	u (2	No.			
ine in the	- Mari	ercelica wa Marque 0,74	ay tarqo	0.23	Vin. (2.6)	h-101	wia. xoe	0.82	0.44 No	(TEP	ul 3	3			
9,70 	THE WAY	pat dos	1.pdansky	4 0.231				*****		(3.89 %	l.	3			
0,58	0,85	9,74	0.87	0.83	0,08	0,88	0,72	0,82	0,78	(1,89.)	ul 3	89			
0,58	0,85 0,78	0,74 0,63	0,87 0,56	0,83	0,88 0,852	0,88	0,72	0,82 0,71	0,79	489.	l.	3			
0,58	0,85 0,78	0,74 0,63	0,87 0,56	0,83	0,88 0,852	0,88	0,72	0,82 0,71	0,79	(1,89)	-la	多			
p,79 0,68 0,66	0,86 0,75 0,83	0,74 0,63 0,61	0.87 0.88 0.44	0,83 0,72 0,80	0,88 9,62 0,70	0,88 0,77 0,86	0,72 0,61 0,49	0,82 0,71 0,89	0,79	483	-l3	3			
p,79 0,68 0,66	0,86 0,75 0,83	0,74 0,63 0,61	0.87 0.88 0.44	0,83	0,88 9,62 0,70	0,88 0,77 0,86	0,72 0,61 0,49	0,82 0,71 0,59	0,78 .0,62 0,60			Aust ald	7.10 Ne		
p,79 0,88 0,68	0,86 0,75 0,83	0,74 0,63 0,61	0.87 0.88 0.44	0,83 0,72 0,80	0,88 9,62 0,70	0,88 0,77 0,86	0,72 0,81 0,49	0,82 0,71 0,59	0,78 0,62 0,50			Assot add	7.10 Nz		
p,79 0,88 0,68	0,95 0,75 0,53	0,74 0,63 0,61	0.87 0.86 0.44	0,89 0,72 0,60	0,98 0,82 0,70	0,88 0,77 0,86	0,72 0,61 0,49	0,82 0,71 0,59	0,78 .0,62 0,60			Aust als	7.10 Ne		
p.79 0,68 0,66 0,66	0,85 0,75 0,83 -Torqui	0,74 0,83 0,81	0,87 0,58 0,44	0,89 0,72 0,60	0,88 9,82 0,70 d value	0,88 0,77 0,85	0,72 0,81 0,49	0,82 0,71 0,59	0,78 0,62 0,50	by aite					
p,79 0,88 0,66 0,66 0,66 13	0,85 0,75 0,83 -Torqui	0,74 0,83 0,81	0,87 0,58 0,44	0,83 0,72 0,80 requests	0,88 9,82 0,70 d value	0,88 0,77 0,85	0,72 0,81 0,49 0,49 060 ta-8	0,82 0,71 0,59	0,73 0,82 0,50 (control	by aite					
p.79 0,88 0,66 0,66	0,86 0.78 0,83 0,83 -Torque	0,74 0,83 0,81 0,81 OK	0.87 0.68 0.44 Dimension OK	0,89 0,72 0,80 requested	0,98 9,82 0,70 d value OK	0,88 0,77 0,85 6.78 Nm	0,72 0,61 0,49 060 ia D	0.92 0.71 0.59	0,79 0,62 0,50 (control	by aite					
p,79 0,88 0,66 0,66 0,66 13	0,86 0.78 0,83 0,83 -Torque	0,74 0,63 0,61 0,61 OK	0,87 0,58 0,44 0,44 OK	0,89 0,72 0,80 requested	0,98 0,82 0,70 d value Ok	0,88 0,77 0,85 6.78 Nm	0,72 0,61 0,49 060 ia D	0.92 0.71 0.59	0,79 0,62 0,50 (control	by aite					





QUALITY CONFORMANCE INSPECTION REPORT

Sede legal:: via Mirabella , 9 - MAGGIATE Sup. - 28013 CATTICO (NO) ITALY-THI.: 0722-838847 FAX: 0322-880198 www.peologicotected

Table 14- Discontinuities-No crucks at all-no discontinuities with depth more than 0.13 mm. (control by attribute a shipped

·			·								S HINE IS	amendy è	y anno	use: ek	not will	7
OX	OK	OX	OK	OX	OK	OK	OK	T ~~				·	T	~	\triangle	ş
OK	OX	OK	-			<u> </u>	UK	OK	OX	OK	OK	OK	OK.	OK	OK ?	r
	T ~~	UA	OK			ļ										ł
						***************************************		i			L		l	!	ĺ	ı

Table 15 \sim 23-bour stress embrittlement (control by attribute : ok/not ok) N/A




Table 16- Magnetic permeability - (control by attribute : ok/not ek)





Table 17.. Impection of packaging - (control of heach package and of the shipment i ok/mot ok with respect to the order/
requirements)



SAMPLING TABLES

TABLE FOR MAJOR A CHARACTERISTICS

TABLE FOR MAJOR B CHARACTERISTICS

	BATCH SIZE RAVELEGY	
	< 33 Me	İ
	35.404 O J KT 204	١
		ı
4	32 8	ĺ
		ŧ

TABLE FOR MINOR CHARACTERISTICS

TABLE IX

3 DA 1134 177 1	St A S. Planty W. Automatic		
	SAMPLE SIZE	, , ,	Y
L	100		
***************************************	The state of the s		



Date: 21/08/2012 80

Batch Nº 4 4 8 1 1



Page 5 of 5

07201300241902 MS21062-3K

MS21062-3K

Q.C.LR

SEE TABLE 8

BATCH NO.	DATE	VALUE	The second secon								
		1		DIMENSION MEASURED					SIGNATURE		
44811 21/08/1	21/08/12	^	26.69 mm MAX	28.55	7					26.53	
				28.55		1	1	+==	+==	20.50	Low Marcal
		В	7.37 – 10.72 mm	10.56	10.59	10.53	10.54	10.56	10.52	10.56	
				10.65		1	1	+	+	10.236	
		ĸ	2.49 – 2.87 mm	2.88	2.68	2.68	2.68	2.68	2.68	2.68	TESTED WITH PLUG GAGE
				2.68	1	1	1	 	1	2.00	- TOG GAG
	- 1	H	6.36 mm MAX	5.82	5.81	5.82	5.86	5.82	5.79	5.79	.
•				5.89		†		 	-	5.75	
]		7.92 +/- 0.05 mm	7.89	7.90	7.90	7.92	7.91	7.92	7.92	
	ļ			7.89				7.2	1.02	1.02	
		<u> </u>	0.81 mm MAX	0.64	0.64	0.64	0.84	0.64	0.84	0.84	
	Ļ			0.64					0.04	U.04	
		HR	Hardness HRC 49 mex	36.0	39.2						
	ļ.										
		FLOATING	O.76 mm MIN O.51 mm MAX	2.74 180 0.74	D.80 0.80	0.84 0.20	0.87 0.84 0.88	0.00 0.22	G.85 3.75	2000	LO = LONGITUDINALLY
ૡ ૢૼ૿ૺ	1		a	#4 0.E	$\dashv \dashv$	71		7	##		LA = LATERALLY

07201300241902 MS21062-3K

13

ORDER REMARES: UNLESS OTHEROUSE MEREND & NOTED, FRICE OF ORDER ACKNONLEDGEMENT ARE BASE PRICES CHET AND DO NOT INCLUDE SURCERSES, WHICH WILL BE ADDED MY TIME OF SHIPMENT. DOP GATTICO (BO) TYALY PERSUARY 28, 2011 - EXC VAT & OTHER APPLICABLE LOCAL TAXES WHICH ARE THE RESPONSIBILITY OF

PAGE 01 - CONTINUED ON PAGE 02

03/03/11 09:14:53

HOTICE OF SHIPMENT! PACKOIG LIST CENTIFICATE OF TEST COST, DISABLED ADDRESS 15787-2 11/19/10 692775 REACTION P. 438476 7220.90.0000 MIAI KANOL STREAM BOLD TO PRIME SEC. SHIP TO PAOLO ASTORI SPA DSO DSC PACILO ASTORY VIA MINAMELIA \$ 20 C/O SHIPCO TRANSPORT 28013 MAGGIATE SUPERIORE (NO) C/O OST CTS ITALY 1205 68TH STREET BALTIMORE MD 21237 GRADE AND SPECIFICATIONS "ALIGNE" ALLOY STEEL, A-286 C B STRIP COILS ADMENDED 18 FIR 3 EDGE (SPEC 06/06 REV 2) (ASTM-R-112-96 REAPPROVED 2004 E2) (AMS 5525J) (09/22/09 EXCEPTION TO SPEC 05/05) CARRIER - CLAY TRANSPORT (\$5501484300) DIST: SEND ACK ATTM; GIMPAGLO CAMPAGNOLI TYPE BEAT/TEET --CR-- --NI-- --AI---HENT 517310-03 .27 .013 .0001 14.36 24.52 .16 THET LOCATION 1.17 2.07 .08 232 HEAT 517310-04 ER . 63 .25 .012 -0002 .2 14.38 24.65 . 28 1.18 TAST LOCATION .27 2.14 -07 70 --B HEAT 517310-03 .007 THEIR LOCATION EDEAP 517310-04 .008 THE LOCATION TEST AIXID TERRITAR & KLONG GRAIN STREES TTEN TEST NO CORROBION COMPLETION MPA 50.8000 MPA HARLES SEND SIZE CORROSION SALT SPRAY 0011 3725879 MILL 658. T PASS 10. 68.HR307W AMMERICA 65. RR3079 THAT LOCATION TC 54.HR30M +800. AMB HEAT 23. TREATED 55.203 CH TEST LOCATION PAGE 02 - CONTINUED ON PAGE 03 (MORE TRST-MESULAT DEPO FOR THIS TYPE ON HET PAGE) 03/03/11 09:14:53

> 07201300241902 HS21062-3K

MOTTOR OF SHIPMEDITY PACKING LINY CERTIFICATE OF TEST 15787-7 111/19/20 692775 BEACT STORY 18³⁴ 1 186 7220.90.0000 2141 CAROL STREAM SOLD TO PRIME SEC. PACIO ASTORI STA SHIP TO DSO D80 VIA MIRABELLA 9 PACIO ASTORI 20 C/O SELECO TRANSPORT 28013 MAGGIATE SUPERIORE (NO) ITALY C/O OST CTS 1205 68TH STREET BALITIMORE MD 21237 GRAIR AND SPECIFICATIONS "ALIEMP" ALLOX STEEL. A-285 C R STRIP CULLS AMERALED 1B WIR 3 EDGE (SPEC 06/06 REV 2) (AMER-E-112-96
REAPPROVED 2004 E2) (AME 5525J) (02/22/09 EMERPTION TO SPEC 06/06) (MARE TRET-RESULT INTO FOR THIS ITEM ON PREVIOUS PAGE) TEST YIRLD TENSILE & ELONG TIME THE RO GRAIN STRESS COMDITION COMMOSION MPA HPA. 50. BMM HANDKIRGS BEND 001A 3725880 SIZE CORROSTOS SALT SPRAY MULL 7*334. 558. 68.HR30TM T FASS 10. NR ANNEALED KR 65.BR3DIW THET LOCATION ams heat TC 56. KR30N TREATED 54.00300 TEST LOCKTION XC #C * Y.S. BY 0.24 OFFSET METHOD + Y.S. BY 0.24 OFFSET METHOD AMS STRESS LIER LESS NO ECPTORA 001A 3725879 23.9 MRS DESCONTINU TEST LOCATION AMS STREES TITEM TEST NO RUPTURE 001A 3725880 24.3 HRS DISCONTING THET LOCATION NR = DATA MOT REQUIRED
METALLOGRAPHIC MACHIFICATION: 100X ETCHART OSED: OKALIC ACID PAGE 03 - CONTINUED OF PAGE 04 03/03/11 09:14:53

> 07201300241902 HS21062-3K

NOTICE OF CHIPMENT! PACIONO LIST

CENTIFICATE OF TEST

11/19/10 692775 22020114050044 "是一份本 7220.90.0000 2141 CAROL STREAM SOLD TO TL 037550 PRIME SEC. SHIP TO PACED ASTORI SPA DSO 0.90 PAGEO AFTORI VIA MIRABELLA 9 20 28013 MAGGIATH SUPERIORS (NO) C/O SHIPCO TRANSPORT C/O OFF CTS ITALY 1205 69TH STREET BALTIMORE MD 21237

GRADE AND SPECIFICATIONS "ALTERO" ALLOY STEEL, A-286 C R STRIP COILS ANNUALED IN FIR 3 ROSS (SPEC 06/06 REV 2) (ASTM-B-112-96 REAPPROVED 2004 E2) (AMS 5525J) (09/22/09 EXCEPTION TO SPEC 06/06)

GRADE VERIFICATION WAS CARRIED OUT SPECTROSCOPICALLY

DIM BE 10204:2005 - 3.1 CENTIFICATE NOES NOT INDICATE PED APPROVAL FOR THIS MATERIAL.

SMELLES TESTED FER AMS 5525 WERE TERRIED AT 1325 DBG. F (718 C) FOR 16 BOURS AND AZE COOLED TO ROOM

THIS DIE EN 10204:20 D5 - 3.1 CERTIFICATE OF TEST SHALL BOT BE REPRODUED EXCEPT IN FOLL. FEDERAL LAW PROBLEMES THE RECORDING OF PALSE, FICTIFICUE, OR FRAUEULEST STATEGEOFFS OR RECEIPS OF THE CERTIFICATE AND HAY BE POSTERORE. E AS A PRICEY DEEDS PEDERAL LAW, ATT AL HOLDS SEVERAL QUALITY CERCUPICATIONS THAT INCLUDE ISO-9001, AS 9100, MADCAP, AND ISO/INC 17025. HATERIAL WAS MANUFACTURED IN ACCORDANCE WITH THE

ALLEGARMY LUDIAGE PERSONS CHEMICAL MEALTHIS BY THE POLLOWING TECHNIQUES: C, S BY COMMUNICATION/INVESTED M. O. H BY IMERY FURICE/THEROGAL COMPOCITIVITY

MEN, P, ST, CR, MT, MC, CU, CB, CC, V BY MINNEY B BY CES

AL ARD TI (>=0.10%) MY MAKE, OTHERWISE BY CAN PB, BI, MG BY GTAN



MATERIAL WAS SOLUTION ANNEALED AT 1800F +/-.25F (982C +/- 14C) FOR A TIME COMMENSURATE WITH SECTION THICKNESS AND COOLED AT A RATE EQUIVALENT TO AIR COOL OR PASTER.

STRESS RUPTURE - CONTINUOUS AXIAL STRESS OF 67500 PSI AT 1200F (465 MPS AT 649C) MATERIAL </m. 1874.

PAGE 04 - COMPLINUED ON PAGE 05

03/03/11 09:14:53

07201300241902 MS21062-3K

NOTICE OF SHIPMENT! PACIONG LIST

1.5787-1

ITALY

7220.90.0000

CERTIFICATE OF TEST

2141 CAROL STRUM III. 037550 SHIP TO

90LD 70 PRIDGE SEC. PACILO ASTORI SPA D90 DSO VIA HIRAWELLA ? 20 28013 MAGGIATE SUPERIORE [NO]

PAGLO ASTORI C/O EHIPCO TRANSPORT C/O DET CTS 1205 SETH STREET BALTIMORE

MD 21237

CRAIM AND EVECTFICATIONS "ALTENP" ALLOY STREE, A-286 C R STRIP COXIS ARMERIED IN FIR 1 EXCS (EFEC 06/06 REV 2) (ASTM-E-112-96 REAFFROVED 2004 E2) (AMS 5525J) (09/22/09 ENCEPTION TO SPEC 06/06) CARRIER - CLAY TRANSPORT (#\$601484300)

STRESS HUPTURE - CONTRIBUOUS ARIAL STRESS OF 70000 PSY AT 1200F (483 MOA AT 649C) MATERIAL >.1874.

TESTING WAS PERFORMED AT THE FOLLOWING LOCATIONS: EN - ATI-ALLEGHENT LUDION, 100 RIVER ROAD, BRACKWEILDER, PA 15014 TC = REI-ALLEGRENY LUDLON; 1300 PACIFIC AVENUE; HATRONA HEIGHTS, PA 15065

11/19/1d 692775 BRACKER LDGB

CONTROL OF THE CON 4444444 REGISTER AT WAY, ALCKETRA. COM >>>>>>>



PAGE 05 - FINAL PAGE.

03/03/11 09:14:53

NOTICE OF SHIPMENT/ PACKING LIST	A ATTAG	.		
CART, OND, HO, & CHOTE	*AIICE	ucus.	CERTIFICATE OF THEY	
15784-2	DAY, COOK MANUAL PROPERTY.	Pitte NO. 1	METRIC ****	
SOLO TO	892775 BRACKDARIDGE, PA 51	MATE I	14 62-110-025 10/26/11	
PAOLO ASTORT COR	PRIME SEC.	.0000 2141 CAROL S	TREAM	
VIA MIRARUTTA A	DSO DSO PAO	LO ASTORY SPINISH	03/893 132	
28013 MAGGIATE SUPERIORE (NO)	, , , , , , , , , , , , , , , , , , , ,	ALLERESCHOP INTOWNERS.	TION	
C'DADOS ASSESSED		SOMFUKIN STREET	21224	
GRADE AND SPECIFICATIONS				
'ATI A286' PRECIPITATION HARDEMAN 3) (ASTH-E-112-10) (AMS 5525J) (0	CARI 2/23/11 EXCEPTIONS TO 06/06)	COILS AMMEALED 1B 1	(#038CLV069522) FIN 3 EDGE (SPEC 06/06 REV	
	HEAT A CARE II	ST # GROSS TARE 1	····	
		728452 333 24)	
,	518127 -04 07201N766AA 3	728452 735 54 728452 262 25	681 203608	_1
	518127 -04 02201-225	728452 262 25 728452 332 27	237 356144 522 305 365147	5
	518173 05 08381N531 3:	732 59	673 366145	28
	518172 06 00000000	1325 54	1271 366989	00
,	\$19173 -05 000513521 37	1589 59	- 594 - 36690 4	1
	\$18173 ne non	1571 62	-684 - 30690 5 -508 -]
· .	37	20627 000 -28 -	760 366906	
		1781 61 1	720	
(6	AE N	3770 184	3586	
ORDER REMARKS: UNLESS OFFICE	~	8311 406	7905	
NOT TAKE AG	REED & NOTED, PRICE ON ORDER SES, WHICH WILL BE ADDED AT OTHER APPLICABLE LOCAL TAX POLG CAMPAGNOLI	ACKNOWLEDGEMENT ART	BASE PRICES ONLY AND DO	
PAGE 01 - CONTINUED ON PAGE 02	NOLG CAMPAGNOLI	ES MUICH ARE THE RE	PONSIBILITY OF THE BUYER	

07201300241902 MS21062-3K

10/26/11 15:12:50

PAGE 02 - CONTINUED ON PAGE 03 (MORE TEST-RESULT INFO FOR THIS ITEM ON MAT PAGE) 10/26/11 15:12:50

07201300241902 hs21062-3k

PACKING	F SHIPMENT)	A ATI	Allegherry		CERTIFICATE OF TEST	A. 8146-2 201
CVST. CHO. NO. A DATE	QUET.CODE (4	TOTAL STATE OF THE PARTY OF THE			
15784-Z FOR DETWENTION SOLD TO PAOLO ASTORI SPA VIA MIRABELLA 3	11/23/10 692775 1991 PRI E	38-4 36 72: ME SEC. SO DSO	20.90.0000	CIAI CAROL STE	WIOCHTON I	11
28013 MAGGIATE SUI		0	PACLO ASTORI C/O ALLFREIG 6201 SEAFORT BALTIMORE	MT DISTRIBUTI H STREET	CON 21224	
GRADE AND SPECIFIAT ATI A266 PRECIPITAT (ASIM-E-112-10) (A	TION BARDENABLE STAIN WS 5525J) (02/23/11	LESS STEEL C R	CARRIER - CO			.c
(MORE TEST-RESUL	T INFO POR THIS ITEM	ON PREVIOUS PA	GE)		LOS ISPEC 06/0	6 REV
ITEM TEST NO	TEST YIKID	TENCTO				
0013 3728452	CONDITION MPA MILL T*307	MPA 50.8MM	HARDNESS F	GRAIN SEND SIZE CO	STRESS CORROSION	
TEST LOCATION	ANNEALED	641. 42. TC TC	65. HR307N 7		PRROSION SALT SPRAY	
TEST LOCATION	ANS HEAT +800. TREATED TC	1117. 21.	51.HR30N 53.HR30N	c ic	`	
	Y.S. BY 0.21 OFFSE Y.S. BY 0.21 OFFSE	N. A	TC			
ITEM TEST NO	WAS GIRESS	, WEILT				
DO1A 3728627	RUPTURE 23.5 HRS					
TEST LOCATION	DISCONTINU TC					
TTEM TEST NO	AMS STRESS					
001B 3728452	RUPTURE 36.2 HRS					
TEST LOCATION	DISCOMPLINU TC	man.				
AR = DATA NOT REGO METALLOGRAPHIC MAGNIFIC	7%	T. HEITS.				
PAGE 03 - CONTINUED ON		T USED: OXALIC	ACID			
SHOULT TO THE TOTAL THE TO					10/25/44	
	Maked Sony Chin Story In St.	NAME OF THE PERSON			10/26/11 15:12:50	
	Common Tables and American Common Com		7.7			
		1 Septem was propose halosing	The second secon	- Les descriptions	1.10 1112EN	

07201300241902 hs21062-3K

CERTIFICATE OF TEST

CULTI-CHIO, NO. 8 DICTS 15784-2 11/23/10 692775 BRACKENRIDGE, PA 515866 122020114060044 | 62-110-025 | 110/26/11 89198-4 36 7220.90.0000 2141 CAROL STREAM SOLD TO TL 037693 | 132 PRIME SEC. PACIO ASTORI SPA SHIP TO DSO DISO PACLO ASTORI SEL-ITALY VIA MIRABELLA 9 20 C/O ALLFREIGHT DISTRIBUTION 28013 MAGGIATE SUPERIORE (NO) 6201 SEAFORTH STREET ITALY BALITIMORE MD 21224

GRADE AND SPECIFICATIONS "ATI A286" PRECIPITATION HARDENABLE STAINLESS STEEL C R STRIP COILS ANNEALED 10 FIN 3 EDGE (SPEC 06/06 REV J) (ASTM-E-112-10) (AMS 5525J) (02/23/11 EXCEPTIONS TO 06/06)

GRADE VERIFICATION WAS CARRIED OUT SPECTEOSCOPICALLY

DIN EN 10204:2005 - 3.1 CERTIFICATE DOES NOT INDICATE PED APPROVAL FOR THIS NATERIAL.

SAMPLES TESTED PER AMS 5525 WERE TREATED AT 1325 DEG. F (718 C) FOR 16 HOURS AND AIR COOLED TO ROOM

THIS DIM EN 10204:2005 - 3.1 CERTIFICATE OF TEST SHALL NOT BE REPRODUCED EXCRPT IN FULL. PEDERAL LAW PROHIBITS THE RECORDING OF PALSE, PICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE AND MAY BE PUNISHABLE AS A PELONY UNDER FEDERAL LAW. ATT AL HOLDS SEVERAL QUALITY CERTIFICATIONS THAT INCLUDE 150-9001, AS9100, NADCAP, AND ISO/TEC 17025. MATERIAL WAS MANUFACTURED IN ACCORDANCE WITH THE ATT AL QUALITY MARGAL REVISION 19 DATED 06/09/2010.

ALLECHENY LUDLUM PERFORMS CHEMICAL ANALYSIS BY THE FOLLOWING TECHNIQUES: C, S BY COMBUSTION/INFRARED N, O, H BY INERT FUSION/THERMAL CONDUCTIVITY MN, P. SI, CR. NI, HO, CU, CB, CO, V BY HDXRP AL AND TI (>=0.10%) BY WOXEF, OTHERWISE BY ORS

MATERIAL WAS SOLUTION ANNEALED AT 18007 +/- 25P (982C +/-114C) FOR A TIME COMMENSURATE WITH SECTION THICRNESS AND COOLED AT A RATE EQUIVALENT TO AIR COOL OR FASTER.

STRESS RUPTURE - CONTINUOUS AXIAL STRESS OF 67500 PSI AT 1200F (465 MPA AT 649C) MATERIAL </=.1874.

PAGE 04 - CONTINUED ON PAGE 05

PB. BI, AG BY GFAA

10/26/11 15:12:50

NOTICE OF SHIPMENTY PACKING LIST

ATAI

CERTIFICATE OF TEST

NL \$100-0 900

SURE, OFCI NO A DATE 111/23/10 692775 BRACKENRIDGE, PA 515866 22020114060044 62-110-025 10/26/11 89198-4 136 2141 CAROL STREAM 7220.90.0000 IL 037693 | 132 SOLD TO PRIME SEC. SHIP TO PACIO ASTORI SPA DSO DSO PAOLO ASTORI SEL-ITALY C/O ALLPRETGET DISTRIBUTION VIA MIRABELLA 9 20 28013 MAGGIATE SUPERIORE (NO) 6201 SEAFORTH STREET ITALY BALTIMORE MD 21224

GRADE AND SPECIFICATIONS

CARRIER - COORDINATORS (\$038CLV069522)

ATI A286 PRECIPITATION HARDENABLE STAINLESS STEEL C R STRIP COILS AMMERIED 1B PIN 3 EDGE (SPEC 06/06 REV

3) (ASTM-E-112-10) (AMS 5525J) (02/23/11 EXCEPTIONS TO 06/06)

STRESS RUPIUME - CONTINUOUS AXIAL STRESS OF 70000 PSI AT 1200F (483 MPA AT 649C) MATERIAL >.1874.

TESTING WAS PERFORMED AT THE POLLOWING LOCATIONS: EN = ATI-ALLEGHENY LUDLUM; 100 RIVER ROAD; BRACKENFIDGE, PA 15014 TC = ATI-ALLEGHENY LUDLUM; 1300 PACIFIC AVENUE; NATRONA HEIGHTS, PA 15065

> > (AF)

PAGE 05 - FINAL PAGE.

10/26/11 15:12:50

COMMINION - To company of the last of the